

# HIT-HY 170

<b>en</b>	This safety data sheet file is issued for the following production lots: 1. Version 2.X is valid for HIT-HY 170 with a maximum expiration date of 12/2022 (see foil pack manifold) 2. Version 3.0 is valid for HIT-HY 170 with a minimum expiration date of 01/2023 (see the foil pack manifold)
<b>de</b>	Diese Sicherheitsdatenblatt-Datei betrifft die folgenden Fertigungslose: 1. Version 2.X ist gültig für HIT-HY 170 mit einem Haltbarkeitsdatum bis 12/2022 (siehe Verbindungsteil) 2. Version 3.0 ist gültig für HIT-HY 170 mit einem Haltbarkeitsdatum ab 01/2023 (siehe Verbindungsteil)
<b>nl</b>	Dit veiligheidsinformatiebladbestand wordt afgegeven voor de volgende productie-lots: 1. Versie 2.X is geldig voor HIT-HY 170 met een maximale houdbaarheidsdatum tot 12/2022 (zie foliepak verdeler) 2. Versie 3.0 is geldig voor HIT-HY 170 met een minimale houdbaarheidsdatum tot 01/2023 (zie foliepak verdeler)
<b>fr</b>	Ce fichier de données de sécurité est délivré pour les lots de production suivants : 1. La version 2.X est valide pour HIT-HY 170 avec une date d'expiration maximale de 12/2022 (voir le raccord de cartouche souple) 2. La version 3.0 est valide pour HIT-HY 170 avec une date d'expiration maximale de 01/2023 (voir le raccord de cartouche souple)
<b>da</b>	Denne sikkerhedsdatabladfil er udgivet for følgende produktions lots: 1. Version 2.X er gældende for HIT-HY 170 med en maksimal udløbsdato d. 12/2022 (se foliepakkens manifold) 2. Version 3.0 er gældende for HIT-HY 170 med en mindste udløbsdato d. 01/2023 (se foliepakkens manifold)
<b>sv</b>	Denna säkerhetsdatabladfil har utfärdats för följande tillverkningspartier: 1. Version 2.X är giltig för HIT-HY 170 med ett sista giltighetsdatum den 12/2022 (se folieförpackningens grenrör) 2. Version 3.0 är giltig för HIT-HY 170 med ett första giltighetsdatum den 01/2023 (se folieförpackningens grenrör)
<b>fi</b>	Tämä käyttöturvallisuustiedote koskee seuraavia tuotantoeriä: 1. Versio 2.X koskee HIT-HY 170 -tuotetta, jonka viimeinen käyttöpäivämäärä on 12/2022 tai sitä ennen (ks. foliopakkauksen taite) 2. Versio 3.0 koskee HIT-HY 170 -tuotetta, jonka viimeinen käyttöpäivämäärä on 01/2023 tai sen jälkeen (ks. foliopakkauksen taite)
<b>hu</b>	Ezt a biztonsági adatlapot a következő gyártási tételekhez bocsátják ki: 1. Az 2.X változat legfeljebb 2022/12 lejáratú dátummal érvényes a HIT-HY 170-re (lásd a fóliacsomag sokszorosított iratát) 2. Az 3.0 változat legalább 2023/01 lejáratú dátummal érvényes a HIT-HY 170-re (lásd a fóliacsomag sokszorosított iratát)
<b>es</b>	Este archivo de hoja de datos de seguridad se emite para los siguientes lotes de producción: 1. Versión 2.X válida para HIT-HY 170 con una fecha de caducidad máxima de 12/2022 (consulte el colector de láminas) 2. Versión 3.0 válida para HIT-HY 170 con una fecha de caducidad mínima de 01/2023 (consulte el colector de láminas)
<b>pt</b>	Este ficheiro com ficha de dados de segurança é emitido para os seguintes lotes de produção: 1. A versão 2.X é válida para a HIT-HY 170 com um prazo máximo de validade até 12/2022 (ver as diversas embalagens) 2. A versão 3.0 é válida para a HIT-HY 170 com um prazo mínimo de validade até 01/2023 (ver as diversas embalagens)
<b>it</b>	Questo file della scheda tecnica di sicurezza è rilasciato per i seguenti lotti di produzione: 1. La versione 2.X è valida per HIT-HY 170 con data di scadenza massima 12/2022 (vedere la giunzione della confezione) 2. La versione 3.0 è valida per HIT-HY 170 con data di scadenza minima 01/2023 (vedere la giunzione della confezione)
<b>pl</b>	Ten plik arkusza danych bezpieczeństwa jest wydany dla następujących części produkcyjnych: 1. Wersja 2.X obowiązuje w przypadku HIT-HY 170 z maksymalnym dniem rozpoczęcia pracy 12/2022 (patrz opakowanie foliowe) 2. Wersja 3.0 obowiązuje w przypadku HIT-HY 170 z minimalnym dniem rozpoczęcia pracy 01/2023 (patrz opakowanie foliowe)
<b>ru</b>	Этот файл сертификата безопасности предоставлен для следующих партий продукции: 1. Версия 2.X действительна для HIT-HY 170 с максимальным сроком годности до 12.2022 г. (см. присоединительную часть на капсуле) 2. Версия 3.0 действительна для HIT-HY 170 с минимальным сроком годности до 01.2023 г. (см. присоединительную часть на капсуле)
<b>el</b>	Το παρόν δελτίο δεδομένων ασφάλειας εκδίδεται για τις ακόλουθες παρτίδες παραγωγής: 1. Η έκδοση 2.X ισχύει για το HIT-HY 170 με μέγιστη ημερομηνία λήξης τον 12/2022 (βλέπε διανομέα συσκευασίας μεμβράνης) 2. Η έκδοση 3.0 ισχύει για το HIT-HY 170 με ελάχιστη ημερομηνία λήξης τον 01/2023 (βλέπε τον διανομέα της συσκευασίας μεμβράνης)
<b>cs</b>	Tento soubor s bezpečnostním listem je vystaven pro tyto výrobní závody 1. Verze 2.X je platná pro HIT-HY 170 s maximálním datem expirace 12/2022 (viz fólie balení) 2. Verze 3.0 je platná pro HIT-HY 170 s minimálním datem expirace 01/2023 (viz fólie balení)
<b>bg</b>	Този информационен лист за безопасност се публикува за следните производствени партии: 1. Версия 2.X е валидна за HIT-HY 170 с максимален срок на валидност до 12.2022 г. (вж. фолийна опаковка за колектор) 2. Версия 3.0 е валидна за HIT-HY 170 с минимален срок на изтичане 01.2023 г. (вж. фолийна опаковка за колектор)
<b>lv</b>	Šo drošības datu lapa ir izsniegta šādām ražojumu partijām: 1. Versija 2.X ir derīga izstrādājumiem HIT-HY 170, kura maksimālais derīguma termiņš ir 2022. gada maijs (skatīt folija iepakojuma kolektoru) 2. Versija 3.0 ir derīga izstrādājumiem HIT-HY 170, kura minimālais derīguma termiņš ir 2023. gada jūnijs (skatīt folija iepakojuma kolektoru)
<b>lt</b>	Šis saugos duomenų lapo failas išduodamas šioms gamybos partijoms: 1. 2.X versija galioja HIT-HY 170, kurios maksimali galiojimo data – 2022-12 (žr. folinių pakuočių rinkinį) 2. 3.0 versija galioja HIT-HY 170, kurios minimali galiojimo data – 2023-01 (žr. folinių pakuočių rinkinį)
<b>sk</b>	Tento súbor bezpečnostných údajov sa vydáva pre tieto výrobné šarže: 1. Verzia 2.X je platná pre HIT-HY 170 s maximálnym dátumom expirácie 12/2022 (pozrite si údaj na fólii balenia) 2. Verzia 3.0 je platná pre HIT-HY 170 s minimálnym dátumom expirácie 01/2023 (pozrite si údaj na fólii balenia)
<b>sl</b>	Datoteka z varnostnim listom je izdana za naslednje proizvodne serije: 1. Različica 2.X je veljavna za izdelek HIT-HY 170 z maksimalnim datumom poteka veljavnosti: 12/2022 (glejte pakiranje) 2. Različica 3.0 je veljavna za izdelek HIT-HY 170 z minimalnim datumom poteka veljavnosti: 01/2023 (glejte pakiranje)

# HIT-HY 170

<b>et</b>	See ohutuskaardi fail on välja antud järgmistele tootepartiidele: 1. Versioon 2.X kehtib tootele HIT-HY 170 viimase säilimiskuupäevaga 12/2022 (vt fooliumpakendi hargnemiskohta) 2. Versioon 3.0 kehtib tootele HIT-HY 170 esimese säilimiskuupäevaga 01/2023 (vt fooliumpakendi hargnemiskohta)
<b>ro</b>	Acest fișier cu date tehnice de securitate este emis pentru următoarele locuri de producție: 1. Versiunea 2.X este valabilă pentru HIT-HY 170 cu data maximă de expirare 12/2022 (a se vedea recordul pentru cartușe din folie) 2. Versiunea 3.0 este valabilă pentru HIT-HY 170 cu data minimă de expirare 01/2023 (a se vedea recordul pentru cartușe din folie)
<b>hr</b>	Ovaj sigurnosno-tehnički list izdaje se za sljedeće proizvodne serije: 1. Verzija 2.X vrijedi za HIT-HY 170 s maksimalnim rokom trajanja do 12/2022 (vidjeti razvodnik iz folije) 2. Verzija 3.0 vrijedi za HIT-HY 170 s minimalnim rokom trajanja do 01/2023 (vidjeti razvodnik iz folije)
<b>tr</b>	Bu güvenlik bilgi formu dosyası aşağıdaki üretim partileri için hazırlanmıştır: 1. Versiyon 2.X, maksimum son kullanma tarihi 12/2022 olan HIT-HY 170 için geçerlidir (bkz. folyo paketi manifoldu) 2. Versiyon 3.0, inimumm son kullanma tarihi 01/2023 olan HIT-HY 170 için geçerlidir (bkz. folyo paketi manifoldu)
<b>uk</b>	Цей файл сертифіката безпеки надано для наступних партій продукції: 1. Версія 2.X дійсна для HIT-HY 170 з максимальним терміном придатності до 12.2022 р. (див. приєднувальну частину на капсулі) 2. Версія 3.0 дійсна для HIT-HY 170 з мінімальним терміном придатності до 01.2023 р. (див. приєднувальну частину на капсулі)
<b>zh</b>	本安全数据表文件针对以下生产批次发布： 1. 版本 2.X 对 HIT-HY 170 有效，最长失效日期为 2022 年 12 月（参见箔包装歧管） 2. 版本 3.0 对 HIT-HY 170 有效，最短失效日期为 2023 年 1 月（参见箔包装歧管）
<b>ar</b>	يتم إصدار ملف صحيفة بيانات السلامة لتشغيلات الإنتاج التالية: 1. الإصدار 2.X صالح لـ HIT-HY 170 بعد أقصى لتاريخ انتهاء الصلاحية هو 2022/12 (انظر العبوة المصنوعة من رقائق الألومنيوم) 2. الإصدار 3.0 صالح لـ HIT-HY 170 على الأقل لتاريخ انتهاء الصلاحية هو 2023/1 (انظر العبوة المصنوعة من رقائق الألومنيوم)
<b>ja</b>	この安全性データシートファイルは、次の生産ロット用に発行されています： 1. バージョン 2.X は、有効期限が最大 2022 年 12 月までの HIT-HY 170 に対して有効です（フォイルパック連結部に表示） 2. バージョン 3.0 は、有効期限が 2023 年 1 月以降の HIT-HY 170 に対して有効です（フォイルパック連結部に表示）
<b>sr</b>	Datoteka bezbednosnog lista se izdaje za sledeće proizvodne serije: 1. Verzija 2.X je dostupna za HIT-HY 170 sa maksimalnim datumom isteka 12/2022 (pogledajte ivicu pakovanja od folije) 2. Verzija 3.0 je dostupna za HIT-HY 170 sa minimalnim datumom isteka 01/2023 (pogledajte ivicu pakovanja od folije)
<b>ms</b>	Fail helaian data keselamatan ini dikeluarkan untuk lot pengeluaran yang berikut: 1. Versi 2.X adalah sah untuk HIT-HY 170 dengan tarikh tamat tempoh maksimum pada 12/2022 (lihat manifold pek kerajang) 2. Versi 3.0 adalah sah untuk HIT-HY 170 dengan tarikh tamat tempoh minimum pada 01/2023 (lihat manifold pek kerajang)
<b>ko</b>	본 안전보건자료는 다음 제품 로트에 대해 발급되었습니다. 1. 버전 2.X(은)는 HIT-HY 170에 대해 유효하며, 최대 만료 기한은 2022년 12월입니다(호일 팩 매니폴드 참조) 2. 버전 3.0(은)는 HIT-HY 170에 대해 유효하며, 최소 만료 기한은 2023년 1월입니다(호일 팩 매니폴드 참조)
<b>id</b>	File lembar data keselamatan ini diterbitkan untuk lot produksi berikut: 1. Versi 2.X berlaku untuk HIT-HY 170 dengan tanggal kedaluwarsa maksimum 12/2022 (lihat foil pack manifold) 2. Versi 3.0 berlaku untuk HIT-HY 170 dengan tanggal kedaluwarsa minimum 01/2023 (lihat foil pack manifold)
<b>he</b>	קובץ גיליון נתוני בטיחות זה מונפק עבור מגרשי הייצור הבאים: 1. גרסה 2.X תקפה ל-HIT-HY 170 עם תאריך תפוגה מקסימלי של 12/2022 (ראה יריעת foil pack) 2. גרסה 3.0 תקפה ל-HIT-HY 170 עם תאריך תפוגה מינימלי של 01/2023 (ראה יריעת foil pack)
<b>th</b>	แผ่นข้อมูลด้านความปลอดภัยนี้จัดทำสำหรับล็อตการผลิตดังต่อไปนี้: 1. เวอร์ชัน 2.X ใช้ได้กับ HIT-HY 170 ที่มีวันหมดอายุไม่เกิน 12/2022 (โปรดดูแผ่นพับห่อฟอยล์) 2. เวอร์ชัน 3.0 ใช้ได้กับ HIT-HY 170 ที่มีวันหมดอายุขั้นต่ำ 01/2023 (โปรดดูแผ่นพับห่อฟอยล์)
<b>vi</b>	Tệp bảng dữ liệu an toàn này được phát hành cho các lô sản xuất sau: 1. Phiên bản 2.X hợp lệ cho HIT-HY 170 với ngày hết hạn tối đa là 12/2022 (xem ống keo cây thép) 2. Phiên bản 3.0 hợp lệ cho HIT-HY 170 với ngày hết hạn tối thiểu là 01/2023 (xem ống keo cây thép)
<b>zh tw</b>	下列生產批次將獲核發本安全資料表檔案： 1. 2.X 版適用於 HIT-HY 170，最長到期日 12/2022（請見鋁箔包打字紙） 2. 3.0 版適用於 HIT-HY 170，最短到期日 01/2023（請見鋁箔包打字紙）
<b>kk</b>	Бұл қауіпсіздік паспорты мына өндірістік партиялар үшін шығарылады: 1. 2.X нұсқасы жарамдылық мерзімі көп уақытты (12/2022) қамтитын HIT-HY 170 үшін жарамды (жұқалтыр қаптаманы қараңыз) 2. 3.0 нұсқасы жарамдылық мерзімі аз уақытты (01/2023) қамтитын HIT-HY 170 үшін жарамды (жұқалтыр қаптаманы қараңыз)

# HIT-HY 170

## Safety information for 2-Component-products

Issue date: 08/09/2021

Revision date: 08/09/2021

Supersedes: 08/06/2021

Version: 3.0

### SECTION 1: Kit identification

#### 1.1 Product identifier

Product name HIT-HY 170  
Product code BU Anchor



#### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (Fastening Systems) Limited  
Unit C4  
North City Business Park, Finglas  
11 Dublin - Ireland  
T +353 188 64101  
1850-287 387 Call Save - F +353 183 03569  
[iesales@hilti.com](mailto:iesales@hilti.com)

### SECTION 2: General information

Storage Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

### SECTION 3: Kit contents

#### Classification of the Product

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
Skin Sens. 1 H317  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of H-statements: see section 16

#### Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS09

Signal word (CLP)

Warning


# HIT-HY 170

## Kit SIS (Safety Information Sheet)

Hazardous ingredients	methacrylates, dibenzoyl peroxide
Hazard statements (CLP)	H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P280 - Wear protective gloves/protective clothing/eye protection/face protection. P262 - Do not get in eyes, on skin, or on clothing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P337+P313 - If eye irritation persists: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Extra phrases	

### Additional information

2-Component-foilpack, contains:  
 Component A: Urethane methacrylate resin, inorganic filler  
 Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HIT-HY 170, B		1	pcs (pieces)	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HIT-HY 170, A		1	pcs (pieces)	Eye Irrit. 2, H319 Skin Sens. 1, H317

### SECTION 4: General information

General advice For professional users only

### SECTION 5: Safe handling advice

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

### SECTION 6: First aid measures

First-aid measures after eye contact Rinse immediately with plenty of water

# HIT-HY 170

## Kit SIS (Safety Information Sheet)

---

First-aid measures after ingestion	Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists
First-aid measures after inhalation	Rinse mouth Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after skin contact	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air Allow the victim to rest
First-aid measures general	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	May cause severe irritation
Symptoms/effects after skin contact	May cause an allergic skin reaction.

### SECTION 7: Fire fighting measures

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

### SECTION 8: Other information

No data available

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 08/09/2021

Revision date: 08/09/2021

Supersedes version of: 08/06/2021

Version: 3.0

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	Mixture
Product name	HIT-HY 170, A
Product code	BU Anchor

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec	For professional use only
Use of the substance/mixture	Composite mortar component for fasteners in the construction industry

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Hilti (Fastening Systems) Limited  
Unit C4  
North City Business Park, Finglas  
11 Dublin - Irland  
T +353 188 64101  
1850-287 387 Call Save - F +353 183 03569  
[iesales@hilti.com](mailto:iesales@hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
86916 Kaufering - Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.4. Emergency telephone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +353 188 64101 1850-287 387 Call Save
------------------	---

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

### SECTION 2 Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Serious eye damage/eye irritation, Category 2 H319

Skin sensitisation, Category 1 H317

Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

Warning

Contains

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol

Hazard statements (CLP)

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

UFI

PTNF-X06D-T31P-0HG9

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester(2082-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	CAS-No. 27813-02-1 EC-No. 248-666-3 EC Index-No. 607-125-00-5 REACH-no 01-2119490226-37	10 – 25	Eye Irrit. 2, H319 Skin Sens. 1, H317
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	CAS-No. 2082-81-7 EC-No. 218-218-1 REACH-no 01-2119967415-30	1 – 3	Skin Sens. 1B, H317
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No. 38668-48-3 EC-No. 254-075-1 REACH-no 01-2119980937-17	0 – 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

### SECTION 4 First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5 Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
--	--

#### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
---------------------------	---





# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Protection during firefighting

Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

Spilled material may present a slipping hazard.

##### 6.1.1. For non-emergency personnel

Emergency procedures

Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment

Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures

Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment

Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

Other information

Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep cool. Protect from sunlight.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

Storage temperature

5 – 25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

##### 8.1.2. Recommended monitoring procedures

No additional information available

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls

Ensure adequate ventilation.

### 8.2.2. Personal protection equipment

#### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

##### Eye protection

Wear security glasses which protect from splashes

##### Eye protection:

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

#### 8.2.2.2. Skin protection

##### Skin and body protection

Wear suitable protective clothing

##### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls

Avoid release to the environment.

#### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 9 Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Light grey.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	> 109 °C DIN EN ISO 1523
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic	60606.061 mm <sup>2</sup> /s
Viscosity, dynamic	100 Pa·s HN-0333
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1.65 g/ml AW 4.3.23
Relative density	Not available
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10 Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available.

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

#### 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)

LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	25 mg/kg bodyweight

#### 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)

LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
ATE CLP (oral)	10066 mg/kg bodyweight

#### 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; $\geq$ 2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	$\geq$ 5000 mg/kg bodyweight (Rabbit; Experimental value)

Skin corrosion/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

#### HIT-HY 170, A

Viscosity, kinematic	60606.061 mm <sup>2</sup> /s
----------------------	------------------------------

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms No additional information available

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12 Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

#### 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)

LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28.8 mg/l
NOEC (acute)	57.8 mg/l

#### 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)

LC50 - Other aquatic organisms [1]	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l

#### 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Threshold limit - Algae [1]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)

#### 12.2. Persistence and degradability

##### HIT-HY 170, A

Persistence and degradability	Not established.
-------------------------------	------------------

##### 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)

Biodegradation	84 %
----------------	------

##### 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

#### 12.3. Bioaccumulative potential

##### HIT-HY 170, A

Bioaccumulative potential	Not established.
---------------------------	------------------

##### 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)

Partition coefficient n-octanol/water (Log Kow)	2.1
---	-----

##### 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)

Partition coefficient n-octanol/water (Log Pow)	3.1
---	-----

##### 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

BCF - Fish [1]	≤ 100
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).

#### 12.4. Mobility in soil

##### 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

Partition coefficient n-octanol/water (Log Koc)	1.9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

#### 12.5. Results of PBT and vPvB assessment

##### HIT-HY 170, A

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

##### Component

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--	---



# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information

Avoid release to the environment.

## SECTION 13 Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)

Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials

Avoid release to the environment.

European List of Waste (LoW) code

08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 27\* - paint, inks, adhesives and resins containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Air transport

Not applicable

### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15 Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(b)	2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester ; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol

Contains no substance on the REACH candidate list  $\geq 0,1$  % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16 Other information

### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	
2.1	Hazard pictograms (CLP)	Removed	
2.2	UFI	Added	
2.2	Hazard statements (CLP)	Removed	
3.2	Composition/information on ingredients	Modified	

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
OECD	Organisation for Economic Co-operation and Development



# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms	
NOEC	No-Observed Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
LC50	Median lethal concentration
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
EC50	Median effective concentration
IARC	International Agency for Research on Cancer

Other information None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H300	Fatal if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 08/09/2021 Revision date: 08/09/2021 Supersedes version of: 08/06/2021

Version: 1.8

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture  
Product name HIT-HY 170, B  
Product code BU Anchor

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only  
Use of the substance/mixture Composite mortar component for fasteners in the construction industry

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Hilti (Fastening Systems) Limited  
Unit C4  
North City Business Park, Finglas  
11 Dublin - Irland  
T +353 188 64101  
1850-287 387 Call Save - F +353 183 03569  
[iesales@hilti.com](mailto:iesales@hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
86916 Kaufering - Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service  
+41 44 251 51 51 (international)  
+353 188 64101  
1850-287 387 Call Save

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

### SECTION 2 Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400  
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410  
Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

Warning

Contains

dibenzoyl peroxide

Hazard statements (CLP)

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

UFI

2DXF-J073-F315-5NRR

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
dibenzoyl peroxide(94-36-0)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide	CAS-No. 94-36-0 EC-No. 202-327-6 EC Index-No. 617-008-00-0 REACH-no 01-2119511472-50	5 - 10	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 4 First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5 Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
--	--

#### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
<b>6.1.1. For non-emergency personnel</b>	
Emergency procedures	Evacuate unnecessary personnel.
<b>6.1.2. For emergency responders</b>	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep cool. Protect from sunlight.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

Storage temperature

5 – 25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

HIT-HY 170, B	
Ireland - Occupational Exposure Limits	
Local name	Dibenzoyl peroxide [Benzoyl peroxide]
OEL TWA [1]	5 mg/m <sup>3</sup>
Notes (IE)	Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2021

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls

Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

##### Personal protective equipment symbol(s)



##### 8.2.2.1. Eye and face protection

###### Eye protection

Wear security glasses which protect from splashes

###### Eye protection:

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

##### 8.2.2.2. Skin protection

###### Skin and body protection

Wear suitable protective clothing

###### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

##### 8.2.2.3. Respiratory protection

No additional information available

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls

Avoid release to the environment.

##### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

##### Other information

Do not eat, drink or smoke during use.

## SECTION 9 Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	white.
Appearance	Thixotropic paste.

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
SADT	65 °C
pH	≈ 6
pH solution	Not available
Viscosity, kinematic	52941.176 mm <sup>2</sup> /s
Viscosity, dynamic	90 Pa·s HN-0333
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1.7 g/cm <sup>3</sup> DIN 51757
Relative density	Not available
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met

#### dibenzoyl peroxide (94-36-0)

IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

#### HIT-HY 170, B

Viscosity, kinematic	52941.176 mm <sup>2</sup> /s
----------------------	------------------------------

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms No additional information available

## SECTION 12 Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	Very toxic to aquatic life with long lasting effects.

#### dibenzoyl peroxide (94-36-0)

LC50 - Fish [2]	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>dibenzoyl peroxide (94-36-0)</b>	
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0.001 mg/l

### 12.2. Persistence and degradability

<b>HIT-HY 170, B</b>	
Persistence and degradability	Not established.

<b>dibenzoyl peroxide (94-36-0)</b>	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

<b>HIT-HY 170, B</b>	
Bioaccumulative potential	Not established.

<b>dibenzoyl peroxide (94-36-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.71
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

### 12.4. Mobility in soil

<b>dibenzoyl peroxide (94-36-0)</b>	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

### 12.5. Results of PBT and vPvB assessment

<b>HIT-HY 170, B</b>	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

<b>Component</b>	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information Avoid release to the environment.

## SECTION 13 Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27* - paint, inks, adhesives and resins containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID



# HIT-HY 170, B

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
UN 3077	UN 3077	UN 3077	UN 3077
<b>14.2. UN proper shipping name</b>			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III
<b>14.3. Transport hazard class(es)</b>			
9	9	9	9
<b>14.4. Packing group</b>			
III	III	III	III
<b>14.5. Environmental hazards</b>			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7			

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : M7  
 Special provisions (ADR) : 274, 335, 375, 601  
 Limited quantities (ADR) : 5kg  
 Packing instructions (ADR) : P002, IBC08, LP02, R001  
 Mixed packing provisions (ADR) : MP10  
 Transport category (ADR) : 3  
 Orange plates :



Tunnel restriction code (ADR) : -

#### Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969  
 Limited quantities (IMDG) : 5 kg  
 Packing instructions (IMDG) : LP02, P002  
 EmS-No. (Fire) : F-A  
 EmS-No. (Spillage) : S-F

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Stowage category (IMDG) : A  
 Stowage and handling (IMDG) : SW23

### Air transport

PCA packing instructions (IATA) : 956  
 PCA max net quantity (IATA) : 400kg  
 CAO packing instructions (IATA) : 956  
 Special provisions (IATA) : A97, A158, A179, A197, A215

### Rail transport

Special provisions (RID) : 274, 335, 375, 601  
 Limited quantities (RID) : 5kg  
 Packing instructions (RID) : P002, IBC08, LP02, R001

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15 Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
 Contains no substance on the REACH candidate list  
 Contains no REACH Annex XIV substances  
 Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.  
 Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16 Other information

### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	
2.2	UFI	Added	

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods



# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms	
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic

Other information None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Skin sensitisation, Category 1
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

# HIT-HY 170

## Safety information for 2-Component-products

Issue date: 08/06/2021

Revision date: 08/06/2021

Supersedes: 23/03/2020

Version: 2.1

### SECTION 1: Kit identification

#### 1.1 Product identifier

Product name HIT-HY 170  
Product code BU Anchor



#### 1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti (Fastening Systems) Limited  
Unit C4  
North City Business Park, Finglas  
11 Dublin - Ireland  
T +353 188 64101  
1850-287 387 Call Save - F +353 183 03569  
[iesales@hilti.com](mailto:iesales@hilti.com)

### SECTION 2: General information

Storage Storage temperature : 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

### SECTION 3: Kit contents

#### Classification of the Product

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
Skin Sens. 1 H317  
Carc. 1B H350  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of H-statements: see section 16

#### Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS08



GHS09


# HIT-HY 170

## Kit SIS (Safety Information Sheet)

Signal word (CLP)	Danger
Hazardous ingredients	methacrylates, dibenzoyl peroxide, 1,2-dihydroxybenzene
Hazard statements (CLP)	H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H350 - May cause cancer. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P280 - Wear eye protection, protective clothing, protective gloves. P262 - Do not get in eyes, on skin, or on clothing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 - IF ON SKIN: Wash with plenty of water. P337+P313 - If eye irritation persists: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Extra phrases	Restricted to professional users

### Additional information

2-Component-foilpack, contains:  
 Component A: Urethane methacrylate resin, inorganic filler  
 Component B: Dibenzoyl peroxide, phlegmatized



Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HIT-HY 170, A		1	Stck. (Stück/e)	Eye Irrit. 2, H319 Skin Sens. 1, H317 Carc. 1B, H350
HIT-HY 170, B		1	Stck. (Stück/e)	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### SECTION 4: General information

General advice For professional users only

### SECTION 5: Safe handling advice

General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

# HIT-HY 170

## Kit SIS (Safety Information Sheet)

---

### SECTION 6: First aid measures

First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists
First-aid measures after ingestion	Rinse mouth Get medical advice/attention. Do not induce vomiting Obtain emergency medical attention
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air Allow the victim to rest
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	May cause severe irritation
Symptoms/effects after skin contact	May cause an allergic skin reaction.

### SECTION 7: Fire fighting measures

Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

### SECTION 8: Other information

No data available

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 08/06/2021 Revision date: 08/06/2021 Supersedes version of: 20/03/2020

Version: 1.7

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	Mixture
Product name	HIT-HY 170, B
Product code	BU Anchor

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec	For professional use only
Use of the substance/mixture	Composite mortar component for fasteners in the construction industry

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Hilti (Fastening Systems) Limited  
Unit C4  
North City Business Park, Finglas  
11 Dublin - Irland  
T +353 188 64101  
1850-287 387 Call Save - F +353 183 03569  
[iesales@hilti.com](mailto:iesales@hilti.com)

#### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
86916 Kaufering - Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

### 1.4. Emergency telephone number

Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +353 188 64101 1850-287 387 Call Save
------------------	---

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

## SECTION 2 Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

Full text of H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

Warning

Contains

dibenzoyl peroxide

Hazard statements (CLP)

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

dibenzoyl peroxide (94-36-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

#### Component

dibenzoyl peroxide(94-36-0)

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide	CAS-No. 94-36-0 EC-No. 202-327-6 EC Index-No. 617-008-00-0 REACH-no 01-2119511472-50	5 - 10	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16



# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 4 First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5 Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
--	--

#### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Spilled material may present a slipping hazard.
<b>6.1.1. For non-emergency personnel</b>	
Emergency procedures	Evacuate unnecessary personnel.
<b>6.1.2. For emergency responders</b>	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Keep cool. Protect from sunlight.

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

Storage temperature

5 – 25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

HIT-HY 170, B	
Ireland - Occupational Exposure Limits	
Local name	Dibenzoyl peroxide [Benzoyl peroxide]
OEL TWA [1]	5 mg/m <sup>3</sup>
Notes (IE)	Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2020

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls

Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

##### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

##### Eye protection

Wear security glasses which protect from splashes

##### Eye protection:

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

#### 8.2.2.2. Skin protection

##### Skin and body protection

Wear suitable protective clothing

##### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls

Avoid release to the environment.

##### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

##### Other information

Do not eat, drink or smoke during use.

## SECTION 9 Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	white.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
SADT	65 °C
pH	≈ 6
pH solution	Not available
Viscosity, kinematic	52941.176 mm <sup>2</sup> /s
Viscosity, dynamic	90 Pa·s HN-0333
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1.7 g/cm <sup>3</sup> DIN 51757
Relative density	Not available
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 11 Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified pH ≈ 6
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met

#### dibenzoyl peroxide (94-36-0)

IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

#### HIT-HY 170, B

Viscosity, kinematic	52941.176 mm <sup>2</sup> /s
----------------------	------------------------------

#### 11.2. Information on other hazards

##### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	No additional information available
--	-------------------------------------

##### 11.2.2. Other information

Potential adverse human health effects and symptoms	No additional information available
---	-------------------------------------

### SECTION 12 Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	Very toxic to aquatic life with long lasting effects.

#### dibenzoyl peroxide (94-36-0)

LC50 - Fish [2]	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0.001 mg/l

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.2. Persistence and degradability

HIT-HY 170, B	
Persistence and degradability	Not established.
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

HIT-HY 170, B	
Bioaccumulative potential	Not established.
dibenzoyl peroxide (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3.71
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).

### 12.4. Mobility in soil

dibenzoyl peroxide (94-36-0)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

### 12.5. Results of PBT and vPvB assessment

HIT-HY 170, B	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Component	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information Avoid release to the environment.

## SECTION 13 Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27* - paint, inks, adhesives and resins containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077

# HIT-HY 170, B

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID
<b>14.2. UN proper shipping name</b>			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III
<b>14.3. Transport hazard class(es)</b>			
9	9	9	9
<b>14.4. Packing group</b>			
III	III	III	III
<b>14.5. Environmental hazards</b>			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7			

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	: MP10
Transport category (ADR)	: 3
Orange plates	:



Tunnel restriction code (ADR) : -

#### Transport by sea

Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Packing instructions (IMDG)	: LP02, P002
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23

# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Air transport

PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
Special provisions (IATA)	: A97, A158, A179, A197, A215

### Rail transport

Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Packing instructions (RID)	: P002, IBC08, LP02, R001

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15 Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16 Other information

### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DMEL	Derived Minimal Effect level
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration





# HIT-HY 170, B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms	
NOAEL	No-Observed Adverse Effect Level
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic

Other information None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Skin sensitisation, Category 1
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 08/06/2021 Revision date: 08/06/2021 Supersedes version of: 20/03/2020

Version: 2.1

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture  
Product name HIT-HY 170, A  
Product code BU Anchor

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture For professional use only  
Composite mortar component for fasteners in the construction industry

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Hilti (Fastening Systems) Limited  
Unit C4  
North City Business Park, Finglas  
11 Dublin - Ireland  
T +353 188 64101  
1850-287 387 Call Save - F +353 183 03569  
[iesales@hilti.com](mailto:iesales@hilti.com)

##### Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH  
Hiltistraße 6  
86916 Kaufering - Deutschland  
T +49 8191 906876  
[anchor.hse@hilti.com](mailto:anchor.hse@hilti.com)

#### 1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service  
+41 44 251 51 51 (international)  
+353 188 64101  
1850-287 387 Call Save

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

### SECTION 2 Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Serious eye damage/eye irritation, Category 2 H319  
Skin sensitisation, Category 1 H317  
Carcinogenicity, Category 1B H350  
Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

Danger

Contains

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester; 1,2-dihydroxybenzene; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol

Hazard statements (CLP)

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H350 - May cause cancer.

Precautionary statements (CLP)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases

Restricted to professional users.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,2-dihydroxybenzene (120-80-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester(2082-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,2-dihydroxybenzene(120-80-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	CAS-No. 27813-02-1 EC-No. 248-666-3 EC Index-No. 607-125-00-5 REACH-no 01-2119490226-37	10 – 25	Eye Irrit. 2, H319 Skin Sens. 1, H317
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	CAS-No. 2082-81-7 EC-No. 218-218-1 REACH-no 01-2119967415-30	1 – 3	Skin Sens. 1B, H317
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No. 38668-48-3 EC-No. 254-075-1 REACH-no 01-2119980937-17	0 – 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
1,2-dihydroxybenzene substance with national workplace exposure limit(s) (IE)	CAS-No. 120-80-9 EC-No. 204-427-5 EC Index-No. 604-016-00-4	0 – 1	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

### SECTION 4 First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
-------------------------------------	--------------------------------------

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Symptoms/effects after eye contact May cause severe irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5 Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.  
Unsuitable extinguishing media Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

#### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.  
Emergency procedures Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment Collect spillage.  
Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.  
Other information Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight.  
Incompatible products Strong bases. Strong acids.

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	5 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

HIT-HY 170, A	
Ireland - Occupational Exposure Limits	
Local name	Quartz, respirable dust
OEL TWA [1]	0.1 mg/m <sup>3</sup>
Notes (IE)	BOELV (Binding Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2020
1,2-dihydroxybenzene (120-80-9)	
Ireland - Occupational Exposure Limits	
Local name	Catechol
OEL TWA [1]	20 mg/m <sup>3</sup>
OEL TWA [2]	5 ppm

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls

Ensure adequate ventilation.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

##### Personal protective equipment symbol(s)



##### 8.2.2.1. Eye and face protection

###### Eye protection

Wear security glasses which protect from splashes

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Eye protection:

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

### 8.2.2.2. Skin protection

#### Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

### 8.2.2.3. Respiratory protection

No additional information available

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls

Avoid release to the environment.

#### Consumer exposure controls

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

## SECTION 9 Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Light grey.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosive limit (LEL)	Not applicable
Upper explosive limit (UEL)	Not applicable
Flash point	> 109 °C DIN EN ISO 1523
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic	60606.061 mm <sup>2</sup> /s
Viscosity, dynamic	100 Pa·s HN-0333
Solubility	Water Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1.65 g/ml AW 4.3.23

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Relative density	Not available
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

#### 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)

#### 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)

LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
ATE CLP (oral)	10066 mg/kg bodyweight

#### 1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)

LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	25 mg/kg bodyweight



# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>1,2-dihydroxybenzene (120-80-9)</b>	
LD50 oral rat	300 mg/kg
LD50 dermal rat	600 mg/kg
LC50 Inhalation - Rat (Vapours)	≥ 2.8 mg/l/4h
ATE CLP (oral)	300 mg/kg bodyweight
ATE CLP (dermal)	600 mg/kg bodyweight

Skin corrosion/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	May cause cancer.

<b>1,2-dihydroxybenzene (120-80-9)</b>	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

<b>HIT-HY 170, A</b>	
Viscosity, kinematic	60606.061 mm <sup>2</sup> /s

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms No additional information available

## SECTION 12 Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Threshold limit - Algae [1]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)

<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
LC50 - Other aquatic organisms [1]	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
EC50 - Crustacea [1]	28.8 mg/l
NOEC (acute)	57.8 mg/l
<b>1,2-dihydroxybenzene (120-80-9)</b>	
LC50 - Fish [1]	9.22 mg/l
LC50 - Other aquatic organisms [1]	22 mg/l

### 12.2. Persistence and degradability

<b>HIT-HY 170, A</b>	
Persistence and degradability	Not established.
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Biodegradation	84 %

### 12.3. Bioaccumulative potential

<b>HIT-HY 170, A</b>	
Bioaccumulative potential	Not established.
<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
BCF - Fish [1]	≤ 100
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).
<b>2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.1
<b>1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)</b>	
Partition coefficient n-octanol/water (Log Kow)	2.1

### 12.4. Mobility in soil

<b>2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)</b>	
Partition coefficient n-octanol/water (Log Koc)	1.9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Results of PBT and vPvB assessment

<b>HIT-HY 170, A</b>	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
<b>Component</b>	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,2-dihydroxybenzene (120-80-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information Avoid release to the environment.

## SECTION 13 Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.



# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Product/Packaging disposal recommendations

After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.

### Ecology - waste materials

Avoid release to the environment.

### European List of Waste (LoW) code

08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 27\* - paint, inks, adhesives and resins containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 15 Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
28.	1,2-dihydroxybenzene
3(b)	2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester ; 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol

Contains no substance on the REACH candidate list  $\geq 0,1\%$  / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16 Other information

#### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION REGULATION (EU) 2020/878	Modified	
2.2	Extra phrases	Added	

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
LC50	Median lethal concentration
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
EC50	Median effective concentration
IARC	International Agency for Research on Cancer

Other information

None.

# HIT-HY 170, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Full text of H- and EUH-statements:</b>	
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H412	Harmful to aquatic life with long lasting effects.

<b>Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]</b>		
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.