



DECLARATION OF PERFORMANCE

according to Annex III of the Regulation (EU) Nr. 305/2011 (Construction Products Regulation)

1. Unique identification code of the product-type:

Item Number	Designation
2277466	MW-L 1.5
2277467	MW-L 2.0
2277468	MW-L 3.0
2277469	MW-L 5.0
2277562	MW-CL 2.0-3.0
2278645	MW-EB M8 1.5/1m
2278646	MW-EB M8 1.5/2m
2278647	MW-EB M8 1.5/3m
2278648	MW-EB M8 1.5/5m
2278649	MW-EB M8 1.5/10m
2278690	MW-EB M8 2.0/1m
2278691	MW-EB M8 2.0/2m
2278692	MW-EB M8 2.0/3m
2278693	MW-EB M8 2.0/5m
2278694	MW-EB M8 2.0/10m
2278703	MW-EB M8 3.0/1m
2278704	MW-EB M8 3.0/2m
2278695	MW-EB M8 3.0/3m
2278696	MW-EB M8 3.0/5m
2278705	MW-EB M8 3.0/10m
2278642	MW-EB M10 5.0/1m
2278697	MW-EB M10 5.0/2m
2278698	MW-EB M10 5.0/3m
2278699	MW-EB M10 5.0/5m
2278700	MW-EB M10 5.0/10m
2278701	MW-EB M12 6.0/3m
2278702	MW-EB M12 6.0/5m
2278643	MW-EB M12 6.0/10m
2277568	MW-LP 1.5/1m
2277569	MW-LP 1.5/2m
2277570	MW-LP 1.5/3m
2277571	MW-LP 1.5/5m
2277572	MW-LP 1.5/10m
2277573	MW-LP 2.0/1m
2277574	MW-LP 2.0/2m
2277575	MW-LP 2.0/3m
2277576	MW-LP 2.0/5m
2277577	MW-LP 2.0/10m
2277578	MW-LP 3.0/1m
2277579	MW-LP 3.0/2m
2277580	MW-LP 3.0/3m
2277581	MW-LP 3.0/5m
2277582	MW-LP 3.0/10m
2287558	MW-LP 5.0/1m
2287559	MW-LP 5.0/2m
2287560	MW-LP 5.0/3m



Item Number	Designation
2287561	MW-LP 5.0/5m
2287562	MW-LP 5.0/10m
2277563	MW-EB M8x26
2277565	MW-EB M10x39
2277566	MW-EB M12x42
2277567	MW-DH
2287563	MW-C

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4): Type and lot number are displayed on the packaging

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Suspended ceiling substructure components, internally in buildings, to produce the substructure of installed suspended ceilings.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Hilti Corporation, Feldkircherstrasse 100, 9494 Schaan, Liechtenstein

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): n/a

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: EN 13964, Suspended ceilings – Requirements and test methods

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: n/a

9. Declared performance

Essential Characteristics	Declared Performance [kN]	Harmonized Technical Specification
Load bearing capacity:		
MW-L 1.5	0.29	EN 13964
MW-L 2.0	0.55	
MW-L 3.0	1.11	
MW-L 5.0	3.34	
MW-CL 2.0-3.0	2.0 wire: 0.45 3.0 wire: 0.96	
MW-EB M8 1.5/1m	0.29	
MW-EB M8 1.5/2m	0.29	
MW-EB M8 1.5/3m	0.29	
MW-EB M8 1.5/5m	0.29	
MW-EB M8 1.5/10m	0.29	
MW-EB M8 2.0/1m	0.55	
MW-EB M8 2.0/2m	0.55	
MW-EB M8 2.0/3m	0.55	
MW-EB M8 2.0/5m	0.55	
MW-EB M8 2.0/10m	0.55	
MW-EB M8 3.0/1m	1.11	
MW-EB M8 3.0/2m	1.11	
MW-EB M8 3.0/3m	1.11	
MW-EB M8 3.0/5m	1.11	
MW-EB M8 3.0/10m	1.11	
MW-EB M10 5.0/1m	3.34	
MW-EB M10 5.0/2m	3.34	



Essential Characteristics	Declared Performance [kN]	Harmonized Technical Specification
Load bearing capacity:		
MW-EB M10 5.0/3m	3.34	EN 13964
MW-EB M10 5.0/5m	3.34	
MW-EB M10 5.0/10m	3.34	
MW-LP 1.5/1m	0.29	
MW-LP 1.5/2m	0.29	
MW-LP 1.5/3m	0.29	
MW-LP 1.5/5m	0.29	
MW-LP 1.5/10m	0.29	
MW-LP 2.0/1m	0.55	
MW-LP 2.0/2m	0.55	
MW-LP 2.0/3m	0.55	
MW-LP 2.0/5m	0.55	
MW-LP 2.0/10m	0.55	
MW-LP 3.0/1m	1.11	
MW-LP 3.0/2m	1.11	
MW-LP 3.0/3m	1.11	
MW-LP 3.0/5m	1.11	
MW-LP 3.0/10m	1.11	
MW-LP 5.0/1m	3.34	
MW-LP 5.0/2m	3.34	
MW-LP 5.0/3m	3.34	
MW-LP 5.0/5m	3.34	
MW-LP 5.0/10m	3.34	
MW-EB M8x26	5.3	
MW-EB M10x39	9.2	
MW-EB M12x42	15.6	
MW-DH	0.48	
MW-C	4.9	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Shahbaz Abbas
Codes & Approvals Team Lead
Business Unit Installation

Giovanni Riello
Codes & Approvals Expert
Business Unit Installation

Hilti Corporation, Schaan, 09/2022