



## **DECLARATION OF PERFORMANCE**

No. 2873-CPR-201-26

### 1. Unique identification code of the product type:

Injection system for use in masonry HIT-MM+

### 2. Intended use/es:

Product	Intended use
	For fixing and/or supporting to masonry, structural elements (which contributes to the stability of the works) or heavy units.

### 3. Manufacturer:

Hilti Corporation Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD 330076-01-0604
European Technical Assessment: ETA-16/0239 (19.10.2023)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

## 6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex B6, B7, C1 - C7
Reduction factor for job sites test (β-factor)	See Annex C1

### Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorages satisfy requirements for class A1
Resistance to fire	No performance determined

# Hygiene, health and environment (BWR3)

Essential characteristic	Performance
Content, emission and/or release of dangerous substances	No performance determined

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer

Business Unit Head Business Unit Anchor Jürgen Gebhard

Head of Quality

**Business Unit Anchor** 

V. Gala.





## **DECLARATION OF PERFORMANCE**

No. 2873-CPR-201-32

### 1. Unique identification code of the product type:

Injection system for use in concrete HIT-MM+

### 2. Intended use/es:

Product	Intended use
	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

### 3. Manufacturer:

Hilti Corporation Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD 330499-01-0601
European Technical Assessment: ETA-17/0199 (30.08.2019)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

## 6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

mediamodi redictance and stability (BTTC 1)	
Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C3
Characteristic resistance for seismic performance category C1	No performance determined
Characteristic resistance for seismic performance category C2, displacements	No performance determined
Durability	See Annex B1
Characteristic resistance to tension load (static and quasi-static loading)	See Annex C1
Characteristic resistance to shear load (static and quasi-static loading)	See Annex C2

# Hygiene, health and environment (BWR3)

Essential characteristic	Performance
Content, emission and/or release of dangerous substances	No performance determined

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer

Business Unit Head Business Unit Anchor Jürgen Gebhard

Head of Quality

**Business Unit Anchor** 

1. Maln.