



DECLARATION OF PERFORMANCE

No. 2873-CPR-201-44

1. Unique identification code of the product type:

Torque controlled bonded anchor HIT-HY 200 (HAS-D)

2. Intended use/es:

Product	Intended use
	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD 330499-02-0601
European Technical Assessment: ETA-18/0972 (26.09.2024)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex B2, C1, C2, C3, C4

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorages satisfy requirements for class A1

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer

Business Unit Head Business Unit Anchor Jürgen Gebhard

Head of Quality

Business Unit Anchor

1. Gala.





DECLARATION OF PERFORMANCE

No. 2873-CPR-201-45

1. Unique identification code of the product type:

Post-installed fasteners in concrete under fatigue cyclic loading HIT-HY 200 (HAS-D)

2. Intended use/es:

Product	Intended use
I Kondad tastanars and hondad avnansion tastanars for use in concrete	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD 330250-00-0601
European Technical Assessment: ETA-18/0978 (26.09.2024)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

, (=,		
Essential characteristic	Performance	
Characteristic fatigue resistance under cyclic tension loading	See Annex C3, C5	
Characteristic fatigue resistance under cyclic shear loading	See Annex C4, C5	
Characteristic fatigue resistance under cyclic combined tension and shear loading	See Annex C5	
Load transfer factor for cyclic tension and shear loading	See Annex C3, C4, C5	
Characteristic resistance for static and quasi static loads	See Annex B2, C1, C2	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer

Business Unit Head
Business Unit Anchor

Jürgen Gebhard

Head of Quality

Business Unit Anchor

1. Gala.